

LED T8 U-Bend Ballast Compatibility

Ballast Description				Compatibility Test Result									
				BF		1-Lamp		2-Lamp		3-Lamp		4-Lamp	
Manufacturer	Part Number	Start Method	# of Lamps	Type	Value	120Vac	277Vac	120Vac	277Vac	120Vac	277Vac	120Vac	277Vac
Philips-Advance	ICN-2P32-N	IS	2	N	0.89	✓	✓	✓	✓				
Philips-Advance	IOPA-2P32-N	IS	2	N	0.89	✓	✓	✓	✓				
Philips-Advance	IOP-2P32-N	IS	2	N	0.89	✓	✓	✓	✓				
Philips-Advance	IOP-2P32-LW-N	IS	2	L	0.77	✓	✓	✓	✓				
Philips-Advance	IOPA-3P32-LW-N	IS	3	L	0.76	✓	✓	✓	✓	✓	✓		
Philips-Advance	IOPA-4P32-HL-SC	IS	4	H	1.18	✓	✓	✓	✓	✓	✓	✓	✓
Philips-Advance	IOP-4P32-N	IS	4	N	0.87	✓	✓	✓	✓	✓	✓	✓	✓
Philips-Advance	IOP-4P32-LW-N	IS	4	L	0.77	✓	✓	✓	✓	✓	✓	✓	✓
Philips-Advance	ICN-4P32-N	IS	4	N	0.90	✓	✓	✓	✓	✓	✓	✓	✓
Philips-Advance	IOP-1P32-N	IS	1	N	0.89	✓	✓						
Philips-Advance	ICN-1P32-N	IS	1	N	0.91	✓	✓						
Philips-Advance	IOPA-1P32-N	IS	1	N	0.88	✓	✓						
Philips-Advance	IOPA-2P32HL-SC	IS	2	H	1.18	✓	✓	✓	✓				
Philips-Advance	REB-4P32-SC	IS	4	N	0.81	✓		✓		✓		✓	
Philips-Advance	ICN-4P32-SC	IS	4	N	0.89	✓	✓	✓	✓	✓	✓	✓	✓
Philips-Advance	ICN-3P32-N	IS	3	N	0.88	✓	✓	✓	✓	✓	✓		
Philips-Advance	IOP-3PSP32-SC	PS	3	N	0.88	✓	✓	✓	✓	✓	✓		
Philips-Advance	IOP-3PSP32-LW-SC	PS	3	L	0.69	✓	✓	✓	✓	✓	✓		
Philips-Advance	IOP-4PSP32-SC	PS	4	N	0.89	✓	✓	✓	✓	✓	✓	✓	✓
Philips-Advance	IOP-4PSP32-LW-SC	PS	4	L	0.69	✓	✓	✓	✓	✓	✓	✓	✓
Philips-Advance	IOP-2PSP32-LW-N	PS	2	L	0.71	✓	✓	✓	✓				
OSRAM SYLVANIA	QTP 2X32T8/UNV ISN-SC	IS	2	N	0.88	✓	✓	✓	✓				
OSRAM SYLVANIA	QHE 2X32T8/UNV ISN-SC	IS	2	N	0.88	✓	✓	✓	✓				
OSRAM SYLVANIA	QHE 2X32T8/UNV ISL-SC	IS	2	L	0.78	✓	✓	✓	✓				
OSRAM SYLVANIA	QHE 3X32T8/UNV ISH-SC	IS	3	H	1.18	✓	✓	✓	✓	✓	✓		
OSRAM SYLVANIA	QHE 4X32T8/UNV ISN-SC	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
OSRAM SYLVANIA	QHE 4X32T8/UNV ISL-SC	IS	4	L	0.78	✓	✓	✓	✓	✓	✓	✓	✓
OSRAM SYLVANIA	QHE 1X32T8/UNV ISN-SC	IS	1	N	0.88	✓	✓						
OSRAM SYLVANIA	QHE 1X32T8/UNV ISL-SC	IS	1	L	0.78	✓	✓						
OSRAM SYLVANIA	QTP 1X32T8/UNV ISN-SC	IS	1	N	0.88	✓	✓						
OSRAM SYLVANIA	QTP 3X32T8/UNV ISN-SC	IS	3	N	0.88	✓	✓	✓	✓	✓	✓		
OSRAM SYLVANIA	QHE 3X32T8/UNV ISN-SC	IS	3	N	0.88	✓	✓	✓	✓	✓	✓		
OSRAM SYLVANIA	QHE 3X32T8/UNV ISL-SC	IS	3	L	0.78	✓	✓	✓	✓	✓	✓		
OSRAM SYLVANIA	QHE 4X32T8/UNV PSX-SC	PRS	4	L	0.71	✓	✓	✓	✓	✓	✓	✓	✓
OSRAM SYLVANIA	QHE 2X32T8/UNV PSH-HT	PRS	2	H	1.18	✓	✓	✓	✓				
OSRAM SYLVANIA	QHE 2X32T8/UNV PSN-MC	PRS	2	N	0.88	✓	✓	✓	✓				
OSRAM SYLVANIA	QHE 3X32T8/UNV PSN-SC	PRS	3	N	0.88	✓	✓	✓	✓	✓	✓		
OSRAM SYLVANIA	QHE 4X32T8/UNV PSN-SC	PRS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
General Electric	GE-232-MV-N	IS	2	N	0.88	✓	✓	✓	✓				
General Electric	GE232MAX-N/ULTRA	IS	2	N	0.88	✓	✓	✓	✓				
General Electric	GE432MAX-H/ULTRA	IS	4	H	1.18	✓	✓	✓	✓	✓	✓	✓	✓
General Electric	GE432MAX-L/ULTRA	IS	4	L	0.78	✓	✓	✓	✓	✓	✓	✓	✓
General Electric	GE-232-MAX-H/Ultra	IS	2	H	1.15	✓	✓	✓	✓				
General Electric	GE432MAX-G-N	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
General Electric	GE132MAX-G-N	IS	1	N	0.88	✓	✓						
General Electric	GE132MAX-H/ULTRA	IS	1	H	1.18	✓	✓						
General Electric	GE132MAX-L/ULTRA	IS	1	L	0.78	✓	✓						
General Electric	GE132MAXP-N/ULTRA	IS	1	N	0.88	✓	✓						

LED T8 U-Bend Ballast Compatibility

Ballast Description				Compatibility Test Result									
				BF		1-Lamp		2-Lamp		3-Lamp		4-Lamp	
Manufacturer	Part Number	Start Method	# of Lamps	Type	Value	120Vac	277Vac	120Vac	277Vac	120Vac	277Vac	120Vac	277Vac
General Electric	GE232MV-N-DIY	IS	2	N	0.88	✓	✓	✓	✓				
General Electric	GE232-120-RES	IS	2	N	0.83	✓		✓					
General Electric	GE232MAX-L/ULTRA	IS	2	L	0.78	✓	✓	✓	✓				
General Electric	GE332MV-N	IS	3	N	0.87	✓	✓	✓	✓	✓	✓		
General Electric	GE332MAX-N/ULTRA	IS	3	N	0.88	✓	✓	✓	✓	✓	✓		
General Electric	GE332MAX-L/ULTRA	IS	3	L	0.78	✓	✓	✓	✓	✓	✓		
General Electric	GE332MAX-G-N	IS	3	N	0.87	✓	✓	✓	✓	✓	✓		
General Electric	GE332MAXP-H/ULTRA	IS	3	H	1.18	✓	✓	✓	✓	✓	✓		
General Electric	GE432-120-RES	IS	4	N	0.83	✓		✓		✓		✓	
General Electric	GE432MV-N-42T	IS	4	N	?	✓	✓	✓	✓	✓	✓	✓	✓
General Electric	GE432MAX-N/ULTRA	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
General Electric	GE232-MVPS-N	PS	2	N	0.88	✓	✓	✓	✓				
General Electric	GE-332-MVPS-N	PS	3	N	0.88	✓	✓	✓	✓	✓	✓		
General Electric	GE432-MVPS-N	PS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
General Electric	GE-232-MV-PS-N	PS	2	N	0.88	✓	✓	✓	✓				
Universal Lighting Technologies	B232IUNVHP-N	IS	2	N	0.88	✓	✓	✓	✓				
Universal Lighting Technologies	B232IUNVEL-A	IS	2	L	0.77	✓	✓	✓	✓				
Universal Lighting Technologies	B232IUNVHE-A	IS	2	N	0.87	✓	✓	✓	✓				
Universal Lighting Technologies	B432IUNVHE L-A	IS	4	L	0.77	✓	✓	✓	✓	✓	✓	✓	✓
Universal Lighting Technologies	B232IUNVHEH-A	IS	2	H	1.18	✓	✓	✓	✓				
Universal Lighting Technologies	B332IUNVHP-A	IS	3	N	0.88	✓	✓	✓	✓	✓	✓		
Universal Lighting Technologies	B432IUNVHP-A	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
Universal Lighting Technologies	B232I120RES-A	IS	2	N	0.88	✓		✓					
Universal Lighting Technologies	B432I120RES-A	IS	4	N	0.80	✓		✓		✓		✓	
Universal Lighting Technologies	B132IUNVHP-N	IS	1	N	0.88	✓	✓						
Universal Lighting Technologies	B432PUNVHE-A	PS	4	N	0.87	✓	✓	✓	✓	✓	✓	✓	✓
Universal Lighting Technologies	B232PUNVHE-B	PS	2	N	0.88	✓	✓	✓	✓				
Universal Lighting Technologies	B332PUNVHE-A	PS	3	N	0.88	✓	✓	✓	✓	✓	✓		
ESPEN	VE232MVHIPE	IS	2	N	0.89	✓	✓	✓	✓				
ESPEN	VE232MVHIPHE	IS	2	H	1.19	✓	✓	✓	✓				
ESPEN	VE232MVHIPEL	IS	2	L	0.77	✓	✓	✓	✓				
HOWARD INDUSTRIES	EPH4/32IS/MV/SC/HE	IS	4	H	1.16	✓	✓	✓	✓	✓	✓	✓	✓
HOWARD INDUSTRIES	EP3/32IS/MV/SC/HE	IS	3	N	0.87	✓	✓	✓	✓	✓	✓		
HOWARD INDUSTRIES	EPL4/32IS/MV/MC/HE	IS	4	L	0.77	✓	✓	✓	✓	✓	✓	✓	✓
HOWARD INDUSTRIES	EPH2/321S/MV/MC/HE	IS	2	H	1.18	✓	✓	✓	✓				
HOWARD INDUSTRIES	E2/32IS-120MC	IS	2	N	0.85	✓		✓					
HOWARD INDUSTRIES	EPL2/32IS/MV/MC/HE	IS	2	L	0.78	✓	✓	✓	✓				
HOWARD INDUSTRIES	EPL3/32IS/MV/SC/HE	IS	3	L	0.78	✓	✓	✓	✓	✓	✓		
HOWARD INDUSTRIES	EP4/32IS/MV/MC/HE	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
HOWARD INDUSTRIES	EP2/32IS/MV/MC/HE	IS	2	N	0.89	✓	✓	✓	✓				
HOWARD INDUSTRIES	EP3/32IS/MV/MC/HE	IS	3	N	0.88	✓	✓	✓	✓	✓	✓		
Halco	EP232IS/L/MV/SL	IS	2	L	0.78	✓	✓	✓	✓				
Halco	E432IS/120/R/SL	IS	4	N	0.87	✓		✓		✓		✓	
Halco	EP232IS/MV/HE	IS	2	N	0.88	✓	✓	✓	✓				
Halco	EP332IS/MV/HE	IS	3	N	0.87	✓	✓	✓	✓	✓	✓		
Halco	EP432IS/MV/HE	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
Halco	EP432IS/L/MV/HE	IS	4	L	0.78	✓	✓	✓	✓	✓	✓	✓	✓
Robertson	ISJ232T8120 3P20116	IS	2	N	0.88	✓	✓	✓	✓				

LED T8 U-Bend Ballast Compatibility

Ballast Description				Compatibility Test Result									
				BF		1-Lamp		2-Lamp		3-Lamp		4-Lamp	
Manufacturer	Part Number	Start Method	# of Lamps	Type	Value	120Vac	277Vac	120Vac	277Vac	120Vac	277Vac	120Vac	277Vac
MAXLITE	SKEU322HEL/SC	IS	2	L	0.77	✓	✓	✓	✓				
MAXLITE	SKEU324HE/SC	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
MAXLITE	SKEU323L/SC	IS	3	N	0.78	✓	✓	✓	✓	✓	✓		
MAXLITE	MLEU322HEL/SC	IS	2	L	0.83	✓	✓	✓	✓				
MAXLITE	MLEU323H/SC	IS	3	H	1.18	✓	✓	✓	✓	✓	✓		
MAXLITE	MLEU324HE/SC	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
LumaPro	4KGH1 EB-432IS-120	IS	4	N	0.87	✓		✓		✓		✓	
PLUSRITE	BAF232IS/MV	IS	2	N	0.89	✓	✓	✓	✓				
PLUSRITE	BAF332IS/MV	IS	3	?	?	✓	✓	✓	✓	✓	✓		
KEYSTONE	KTEB-232-UV-IS-N-P	IS	2	N	0.87	✓	✓	✓	✓				
KEYSTONE	KTEB-432RIS-1-TP-SL	IS	4	N	0.80	✓		✓		✓		✓	
KEYSTONE	KTEB-332-UV-IS-N-P	IS	3	N	0.87	✓	✓	✓	✓	✓	✓		
KEYSTONE	KTEB-432-UV-IS-N-P	IS	4	N	0.87	✓	✓	✓	✓	✓	✓	✓	✓
EIKO	PM-2X32T8-UNV-IS-L	IS	2	L	0.77	✓	✓	✓	✓				
EIKO	PM-3X32T8-UNV-IS	IS	3	N	0.87	✓	✓	✓	✓	✓	✓		
EIKO	PM-3X32T8-UNV-IS-H	IS	3	H	1.18	✓	✓	✓	✓	✓	✓		
EIKO	PM-3X32T8-UNV-IS-L	IS	3	L	0.78	✓	✓	✓	✓	✓	✓		
EIKO	PM-4X32T8-UNV-IS	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
EIKO	PM-4X32T8-UNV-IS-L	IS	4	L	0.78	✓	✓	✓	✓	✓	✓	✓	✓
EIKO	PM-2X32T8-UNV-IS	IS	2	N	0.87	✓	✓	✓	✓				
TCP	E2P32ISUNVHE	IS	2	H	1.18	✓	✓	✓	✓				
TCP	E3P32ISUNVE	IS	3	N	0.88	✓	✓	✓	✓	✓	✓		
TCP	E3P32ISUNVLE	IS	3	L	0.78	✓	✓	✓	✓	✓	✓		
TCP	E4P32ISUNVE	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
TCP	E4P32ISUNVHE	IS	4	H	1.18	✓	✓	✓	✓	✓	✓	✓	✓
SOLA	E-758-F-232-SC	IS	2	N	0.88	✓		✓					
SOLA	E-758-U-232-MC	IS	2	N	0.88	✓	✓	✓	✓				
WORK HORSE	WHCG4-120-T8-IS	IS	4	N	0.86	✓		✓		✓		✓	
WORK HORSE	WHSG3-UNV-T8-IS	IS	3	N	0.99	✓	✓	✓	✓	✓	✓		
WORK HORSE	WHSG4-UNV-T8-IS	IS	4	N	0.96	✓	✓	✓	✓	✓	✓	✓	✓
SUNPARK	120-1/32IS HPF	IS	1	N	0.88	✓							
SUNPARK	U-2/32IS HBF	IS	2	H	1.18	✓	✓	✓	✓				
SUNPARK	U-2/32ISE-LBF	IS	2	L	0.78	✓	✓	✓	✓				
SUNPARK	U-3/32ISE	IS	3	N	0.88	✓	✓	✓	✓	✓	✓		
SUNPARK	U-3/32ISE-HBF	IS	3	H	1.18	✓	✓	✓	✓	✓	✓		
SUNPARK	120-3/32IS MP,F	IS	3	N	0.88	✓		✓		✓			
SUNPARK	U-4/32IS HP,F	IS	4	N	0.88	✓	✓	✓	✓	✓	✓	✓	✓
SUNPARK	U-4/32IS HBF	IS	4	H	1.18	✓	✓	✓	✓	✓	✓	✓	✓
SUNPARK	U-4/32ISE-LBF	IS	4	L	0.88	✓	✓	✓	✓	✓	✓	✓	✓
SUNPARK	SL15T	RS	2	N	0.88	✓		✓					
SUNPARK	LC 12013T	PS	1	?	?	✓							
Superior Life	70210	PS	2	N	0.88	✓	✓	✓	✓				
Superior Life	70211	PS	4	N	0.87	✓	✓	✓	✓	✓	✓	✓	✓

watch > like > follow

